Functional Group ID= FR

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Financial Information Reporting Transaction Set (821) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to report balances, detail and summary financial transactions, and other related account information. It can be used by financial institutions and their agents to report to their clients.

Heading:

| | Pos. | Seg. | N | Req. | N | Loop | Notes and |
|----------|------------|-----------|---------------------------------------|------|---------|---------------|-----------------|
| 3.6 . 77 | <u>No.</u> | <u>ID</u> | Name | Des. | Max.Use | <u>Repeat</u> | <u>Comments</u> |
| Must Use | 010 | ST | Transaction Set Header | M | 1 | | |
| Must Use | 020 | B2A | Set Purpose | M | 1 | | |
| Must Use | 030 | DTM | Date/Time Reference | M | 4 | | n1 |
| Must Use | 040 | TRN | Trace | M | 2 | | |
| | 050 | N1 | Name | O | 1 | | n2 |
| | 060 | PER | Administrative Communications Contact | O | >1 | | n3 |
| | | | LOOP ID - LM | | | 10 | |
| Not Used | 065 | LM | Code Source Information | O | 1 | | n4 |
| | | | LOOP ID - LQ | | , | 100 | |
| Not Used | 067 | LQ | Industry Code | M | 1 | | |
| Not Used | 069 | DTM | Date/Time Reference | O | 3 | | n5 |

Detail:

| | Pos. <u>No.</u> | Seg. <u>ID</u> | Name LOOP ID - ENT | Req. Des. | Max.Use | Loop Repeat >1 | Notes and Comments |
|----------|--------------------|-------------------|---------------------------------------|--------------|---------|----------------------|--------------------|
| Must Use | 010 | ENT | Entity | M | 1 | | n6 |
| | | | LOOP ID - N1 | | | 2 | |
| Not Used | 020 | N1 | Name | O | 1 | | |
| Not Used | 030 | N2 | Additional Name Information | O | >1 | | |
| Not Used | 040 | N3 | Address Information | O | >1 | | |
| Not Used | 050 | N4 | Geographic Location | O | 1 | | |
| Not Used | 060 | PER | Administrative Communications Contact | O | >1 | | |
| | | | LOOP ID - ACT | | | >1 | |
| | 070 | ACT | Account Identification | O | 1 | | |
| Not Used | 080 | CUR | Currency | O | 1 | | |
| | | | LOOP ID - LM | | , | 10 | |
| Not Used | 085 | LM | Code Source Information | O | 1 | | n7 |
| | | | LOOP ID - LQ | | | 100 | |

821A014 (003060) November 27, 1996

| Not Used | 087 | LQ | Industry Code | M | 1 | |
|----------|-----|-----|-----------------------------------|-------------|-------------|-----|
| Not Used | 089 | DTM | Date/Time Reference | О | 3 | n8 |
| | | | LOOP ID - RTE | <u> </u> | | 13 |
| Not Used | 095 | RTE | Rate Information | О | 1 | n9 |
| Not Used | 096 | DTM | Date/Time Reference | О | 1 | |
| | | | LOOP ID - BLN | | | >1 |
| Not Used | 100 | BLN | Balance Information | О | 1 | |
| Not Used | 110 | AVA | Funds Availability | О | >1 | |
| | | | LOOP ID - TSU | | | >1 |
| | 120 | TSU | Transaction Summary | О | 1 | |
| Not Used | 130 | AVA | Funds Availability | О | >1 | |
| | | | LOOP ID - FIR | | | >1 |
| | 140 | FIR | Financial Information | О | 1 | |
| Not Used | 150 | DTM | Date/Time Reference | О | >1 | |
| | 160 | REF | Reference Identification | О | >1 | |
| | 170 | MSG | Message Text | O | >1 | |
| Not Used | 180 | AVA | Funds Availability | О | >1 | |
| Not Used | 190 | TRN | Trace | О | 1 | |
| Not Used | 200 | N1 | Name | О | >1 | |
| | 210 | AMT | Monetary Amount | О | >1 | |
| Not Used | 220 | CTP | Pricing Information | О | >1 | |
| Not Used | 230 | RTE | Rate Information | 0 | >1 | |
| | | | LOOP ID - NM1 | | | >1 |
| Not Used | 240 | NM1 | Individual or Organizational Name | О | 1 | n10 |
| Not Used | 250 | N2 | Additional Name Information | О | >1 | |
| Not Used | 260 | N3 | Address Information | О | >1 | |
| Not Used | 270 | N4 | Geographic Location | О | 1 | |
| Not Used | 280 | DTM | Date/Time Reference | О | 1 | n11 |

Summary:

| | Pos. | Seg. | | Req. | Loop | Notes and | |
|----------|------|-----------|-------------------------|------|---------|-----------|-----------------|
| | No. | <u>ID</u> | <u>Name</u> | Des. | Max.Use | Repeat | Comments |
| Must Use | 010 | SE | Transaction Set Trailer | M | 1 | | |

Transaction Set Notes

- 1. At least one DTM segment, for period-ending date, must be used. Others are period-starting date, statement-issued (process) date, and transaction-creation date.
- 2. This N1 segment identifies the forwarder of this transaction. Where the forwarder and the financial institution identified in elements ENT02-04 are different entities, the use of this segment is recommended.
- 3. This PER segment identifies the administrative contact(s) of the forwarder of the transaction.
- 4. The LM loop is intended to provide information regarding problems and errors which affect all accounts contained within this Financial Information Reporting (821) transaction set. The description of the problem or error is contained in an Industry Code list identified in the LQ segment.
- 5. The DTM segment is intended to provide information regarding the expected problem resolution date

- and/or time. Additional uses of this segment are for the provision of the problem occurrence date and/or time, and the alternate problem resolution date and/or time.
- **6.** This ENT segment provides numeric identification of the originating financial institution and the receiving corporate entity, related to specific accounts.
- 7. The LM loop is intended to provide information regarding problems and errors which affect the specific account being reported within this ACT loop. The description of the problem or error is contained in an Industry Code list identified in the LQ segment.
- **8.** The DTM segment is intended to provide information regarding the expected problem resolution date and/or time. Additional uses of this segment are for the provision of the problem occurrence date and/or time, and the alternate problem resolution date and/or time.
- **9.** The RTE loop is used to indicate rates associated with the related account, and the effective date of that rate.
- **10.** The NM1 loop is intended to provide individuals or organizations related to the transaction reported in the FIR segment.
- 11. The DTM is intended to provide a date and/or time related to the individual or organization identified in the NM1 segment.

Segment: ST Transaction Set Header

Position: 010

Loop:

Level: Heading Usage: Mandatory

Max Use: 1

Purpose: To indicate the start of a transaction set and to assign a control number

Syntax Notes:

Semantic Notes: 1 The transaction set identifier (ST01) used by the translation routines of the

interchange partners to select the appropriate transaction set definition (e.g.,

810 selects the Invoice Transaction Set).

Comments:

| Must Use | Ref. Des. ST01 | Data Element 143 | Name Transaction Set Identifier Code | Att M | <u>ribute</u> ID | es 3/3 | | |
|----------|----------------|------------------|--|--------------|---------------------|-----------|--|--|
| | | | Code uniquely identifying a Transaction Set | | | | | |
| | | | X12.24 Financial Information Repo | rting | | | | |
| Must Use | ST02 | 329 | Transaction Set Control Number | \mathbf{M} | AN | 4/9 | | |
| | | | Identifying control number that must be unique within the transfunctional group assigned by the originator for a transaction s | | | | | |
| | | | Assigned by originator. | | | | | |

Segment: **B2A** Set Purpose

Position: 020

Loop:

Level: Heading Usage: Mandatory

Max Use: 1

Purpose: To allow for positive identification of transaction set purpose

Syntax Notes: Semantic Notes: Comments:

| | Ref. | Data | | | | | |
|----------|--------------|----------------|--------------------------|-----------------------------------|--------------|---------------|-------|
| | Des. | Element | <u>Name</u> | | Att | <u>ribute</u> | es es |
| Must Use | B2A01 | 353 | Transaction Set P | urpose Code | \mathbf{M} | ID | 2/2 |
| | | | Code identifying p | urpose of transaction set | | | |
| | | | 00 | Original | | | |
| | B2A02 | 346 | Application Type | | 0 | ID | 2/2 |
| | | | Code identifying a | n application | | | |
| | | | BT | Balance and Transaction Reporting | | | |

Segment: DTM Date/Time Reference

Position: 030

Loop:

Level: Heading Usage: Mandatory

Max Use: 4

Purpose: To specify pertinent dates and times

Syntax Notes: 1 At least one of DTM02 DTM03 or DTM06 is required.

2 If either DTM06 or DTM07 is present, then the other is required.

Semantic Notes:

Comments:

Notes: Only one occurrence of the DTM segment is required.

| Ref. Data | D 4 | | |
|---|-------------|-------------|----------|
| | Data | Ref. | |
| Des. Element Name Attributes | | | |
| OTM01 374 Date/Time Qualifier M ID 3/ | 374 | se DTM01 | Must Use |
| Code specifying type of date or time, or both date and time | | | |
| 097 Transaction Creation | | | |
| OTM02 373 Date X DT 6/ | 373 | DTM02 | |
| Date (YYMMDD) | | | |
| OTM03 337 Time X TM 4/ | 337 | DTM03 | |
| or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minu (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredt (00-99) | | | |
| | | | |
| OTM04 623 Time Code O ID 2/ | 623 | DTM04 | |
| Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) tin since + is a restricted character, + and - are substituted by P and M in t codes that follow | 623 | DTM04 | |
| Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) tin since + is a restricted character, + and - are substituted by P and M in t | 623 | DTM04 | |
| Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) tin since + is a restricted character, + and - are substituted by P and M in t codes that follow | 623 | DTM04 | |
| Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) times since + is a restricted character, + and - are substituted by P and M in the codes that follow ET Eastern Time Assigned by originator. | | DTM04 | |
| Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) times since + is a restricted character, + and - are substituted by P and M in the codes that follow ET Eastern Time Assigned by originator. | | | |
| Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) tin since + is a restricted character, + and - are substituted by P and M in t codes that follow ET Eastern Time Assigned by originator. OTM05 624 Century O N0 2/ | | | |
| Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) tin since + is a restricted character, + and - are substituted by P and M in t codes that follow ET Eastern Time Assigned by originator. OTM05 624 Century O N0 2/ The first two characters in the designation of the year (CCYY) Assigned by originator. | 624 | | Not Used |
| Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) tin since + is a restricted character, + and - are substituted by P and M in t codes that follow ET Eastern Time Assigned by originator. OTM05 624 Century O N0 2/ The first two characters in the designation of the year (CCYY) Assigned by originator. | 624 | DTM05 | Not Used |
| Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) tin since + is a restricted character, + and - are substituted by P and M in t codes that follow ET Eastern Time Assigned by originator. OTM05 624 Century O N0 2/ The first two characters in the designation of the year (CCYY) Assigned by originator. OTM06 1250 Date Time Period Format Qualifier Code indicating the date format, time format, or date and time format | 624 1250 | DTM05 | |
| OTM02 373 Date X DT 6/ Date (YYMMDD) OTM03 337 Time X TM 4/ Time expressed in 24-hour clock time as follows: HHMM, or HHMMS or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minu (00-59), S = integer seconds (00-59) and DD = decimal seconds; decim | | | |

Segment: TRN Trace

Position: 040

Loop:

Level: Heading Usage: Mandatory

Max Use: 2

Purpose: To uniquely identify a transaction to an application

Syntax Notes:

Semantic Notes: 1 TRN02 provides unique identification for the transaction.

2 TRN03 identifies an organization.

3 TRN04 identifies a further subdivision within the organization.

Comments:

Not Used TRN04

127

Notes: Only one occurrence of the TRN segment is required.

Data Element Summary

| | Ref. | Data | • | | | | | | |
|----------|-------------|----------------|--|--------------|---------------|-----------|--|--|--|
| | <u>Des.</u> | <u>Element</u> | <u>Name</u> | <u>Att</u> | <u>ribute</u> | <u>:S</u> | | | |
| Must Use | TRN01 | 481 | Trace Type Code | \mathbf{M} | ID | 1/2 | | | |
| | | | Code identifying which transaction is being referenced | | | | | | |
| | | | 1 Current Transaction Trace Numbers | | | | | | |
| Must Use | TRN02 | 127 | Reference Identification | M | AN | 1/30 | | | |
| | | | Reference information as defined for a particular Transaction Se specified by the Reference Identification Qualifier | | | | | | |
| | | | Assigned by originator. | | | | | | |
| Not Used | TRN03 | 509 | Originating Company Identifier | 0 | AN | 10/10 | | | |
| | | | A unique identifier designating the company initiating the funds transfer instructions. The first character is one-digit ANSI identification code designation (ICD) followed by the nine-digit identification number whic may be an IRS employer identification number (EIN), data universal numbering system (DUNS), or a user assigned number; the ICD for an EIN is 1, DUNS is 3, user assigned number is 9 | | | | | | |

Reference Identification

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

AN 1/30

Segment: N1 Name

Position: 050

Loop:

Level: Heading Usage: Optional

Max Use: 1

Purpose: To identify a party by type of organization, name, and code

Syntax Notes: 1 At least one of N102 or N103 is required.

2 If either N103 or N104 is present, then the other is required.

Semantic Notes:

Comments: 1 This segment, used alone, provides the most efficient method of providing

organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

2 N105 and N106 further define the type of entity in N101.

| | Ref. | Data | 2 | | | | |
|----------|------|----------------|--------------------------|--|--------------|---------|-----------|
| | Des. | Element | <u>Name</u> | | <u>At</u> 1 | tribute | <u>es</u> |
| Must Use | N101 | 98 | Entity Ident | tifier Code | \mathbf{M} | ID | 2/2 |
| | | | Code identify individual | ying an organizational entity, a physical lo | cation | , or an | |
| | | | BK | Bank | | | |
| | | | FW | Forwarder | | | |
| | N102 | 93 | Name | | \mathbf{X} | AN | 1/35 |
| | | | Free-form na | ame | | | |
| | | | Name of Ori | iginating Financial Institution. | | | |
| | N103 | 66 | Identificatio | on Code Qualifier | \mathbf{X} | ID | 1/2 |
| | | | Code designation | ating the system/method of code structure in Code (67) | used f | or | |
| | | | 13 | Federal Reserve Routing Code (FR | RC) | | |
| | N104 | 67 | Identificatio | on Code | \mathbf{X} | AN | 2/20 |
| | | | Code identify | ying a party or other code | | | |
| | | | ABA Numbe | er of Forwarding Bank. | | | |
| Not Used | N105 | 706 | Entity Relat | cionship Code | O | ID | 2/2 |
| | | | Code describ | oing entity relationship | | | |
| Not Used | N106 | 98 | Entity Ident | tifier Code | O | ID | 2/2 |
| | | | Code identify individual | ying an organizational entity, a physical lo | cation | , or an | |

Segment: PER Administrative Communications Contact

Position: 060

Loop:

Level: Heading
Usage: Optional
Max Use: >1

Purpose: To identify a person or office to whom administrative communications should be

directed

Syntax Notes: 1 If either PER03 or PER04 is present, then the other is required.

2 If either PER05 or PER06 is present, then the other is required.

3 If either PER07 or PER08 is present, then the other is required.

Semantic Notes:

Comments:

| | Ref. | Data | Data Element Summary | | | |
|-----------|--------|---------|--|--------------|----------|------------------|
| | Des. | Element | Nama | A tt | ribute | ıc. |
| Must Use | | 366 | Contact Function Code | M | ID ID | <u>.s</u> 2/2 |
| Wast Coc | LINUI | 200 | Code identifying the major duty or responsibility of the | | | |
| | | | named | JC130 | n or g | Toup |
| | | | FC Forwarder Contact | | | |
| | PER02 | 93 | Name | 0 | AN | 1/35 |
| | 12102 | 70 | Free-form name | | | 2,00 |
| | | | Assigned by originator. | | | |
| | PER03 | 365 | Communication Number Qualifier | X | ID | 2/2 |
| | I ERUS | 303 | Code identifying the type of communication number | 11 | ш | 212 |
| | | | TE Telephone | | | |
| | PER04 | 364 | Communication Number | X | A NT | 1/80 |
| | PERU4 | 304 | | | AN | |
| | | | Complete communications number including country or applicable | area | code | wnen |
| | | | Telephone Number Assigned by Originator. | | | |
| | PER05 | 365 | Communication Number Qualifier | \mathbf{X} | ID | 2/2 |
| | | | Code identifying the type of communication number | | | |
| | | | FX Facsimile | | | |
| | PER06 | 364 | Communication Number | X | AN | 1/80 |
| | | | Complete communications number including country or applicable | area | code | when |
| | | | Fax Number Assigned by Originator. | | | |
| Not Used | DED07 | 365 | Communication Number Qualifier | X | ID | 2/2 |
| 1401 0864 | I LAU/ | 303 | Code identifying the type of communication number | Λ | Iν | <i>414</i> |
| Not Has 3 | DEDAG | 264 | | v | A NT | 1 /00 |
| Not Used | rekuð | 364 | Communication Number | X | AN | 1/80 |
| | | | Complete communications number including country or | area | code v | wnen |

applicable

Not Used PER09 443 Contact Inquiry Reference

O AN 1/20

Additional reference number or description to clarify a contact number

Segment: ENT Entity

Position: 010
Loop: ENT
Level: Detail
Usage: Mandatory

Max Use: 1

Purpose: To designate the entities which are parties to a transaction and specify a reference

meaningful to those entities

Syntax Notes: 1 If any of ENT02 ENT03 or ENT04 is present, then all are required.

2 If any of ENT05 ENT06 or ENT07 is present, then all are required.

3 If either ENT08 or ENT09 is present, then the other is required.

Semantic Notes:

Comments:

Dof

Doto

- 1 This segment allows for the grouping of data by entity/entities at or within a master/masters. A master (e.g., an organization) can be comprised of numerous subgroups (e.g., entities). This master may send grouped data to another master (e.g., an organization) which is comprised of one or more entities. Groupings are as follows:
 - (1) Single/Single: Only ENT01 is necessary, because there is a single entity (the sending master) communicating with a single entity (the receiving master).
 - (2) Single/Multiple: ENT05, ENT06, and ENT07 would be used to identify the entities within the receiving master. The sending master is a single entity, so no other data elements need be used.
 - (3) Multiple/Single: ENT02, ENT03, and ENT04 would be used to identify the entities within the sending master. The receiving master is a single entity, so no other data elements need be used.
 - (4) Multiple/Multiple: ENT02, ENT03, and ENT04 would be used to identify the entities within the sending master. ENT05, ENT06, and ENT07 would be used to identify the entities within the receiving master.

This segment also allows for the transmission of a unique reference number that is meaningful between the entities.

| Kei. | Data | | |
|-------|----------------|---|-----------------------------|
| Des. | Element | <u>Name</u> | <u>Attributes</u> |
| ENT01 | 554 | Assigned Number | O N0 1/6 |
| | | Number assigned for differentiation within a | transaction set |
| | | Number assigned for differentiation within by originator. | a transaction set, assigned |
| ENT02 | 98 | Entity Identifier Code | X ID 2/2 |
| | | Code identifying an organizational entity, a pindividual | physical location, or an |
| | | BK Bank | |
| ENT03 | 66 | Identification Code Qualifier | X ID 1/2 |
| | | Code designating the system/method of code Identification Code (67) | structure used for |

| | | | Federal Reserve Routing Code (Fl | RRC) | | |
|----------|-------|-----|---|---------|----------|------|
| | ENT04 | 67 | Identification Code | X | AN | 2/20 |
| | | | Code identifying a party or other code | | | |
| | | | ABA of bank where deposit was made. | | | |
| Not Used | ENT05 | 98 | Entity Identifier Code | X | ID | 2/2 |
| | | | Code identifying an organizational entity, a physical le individual | ocation | ı, or an | |
| Not Used | ENT06 | 66 | Identification Code Qualifier | X | ID | 1/2 |
| | | | Code designating the system/method of code structure Identification Code (67) | used f | or | |
| Not Used | ENT07 | 67 | Identification Code | X | AN | 2/20 |
| | | | Code identifying a party or other code | | | |
| Not Used | ENT08 | 128 | Reference Identification Qualifier | X | ID | 2/3 |
| | | | Code Qualifying the Reference Identification | | | |
| Not Used | ENT09 | 127 | Reference Identification | X | AN | 1/30 |
| | | | Reference information as defined for a particular Transpecified by the Reference Identification Qualifier | sactio | n Set o | r as |

Segment: ACT Account Identification

Position: 070
Loop: ACT
Level: Detail
Usage: Optional

Max Use: 1

Purpose: To specify account information

Syntax Notes: 1 If either ACT03 or ACT04 is present, then the other is required.

2 If ACT05 is present, then ACT06 is required.3 If ACT07 is present, then ACT05 is required.

Semantic Notes: 1 ACT02 is the name of the account in ACT01.

2 ACT07 is the name associated with the account identified in ACT06.

Comments: 1 ACT06 is an account associated with the account in ACT01.

2 ACT08 indicates if the data for the account in ACT01 is used for billing or information purposes.

| | Ref. | Data | · | | | |
|----------|-------|----------------|---|--------------|---------------|-----------|
| | Des. | Element | <u>Name</u> | Att | <u>ribute</u> | <u>es</u> |
| Must Use | ACT01 | 508 | Account Number | \mathbf{M} | AN | 1/35 |
| | | | Account number assigned | | | |
| | | | DDA number. | | | |
| Not Used | ACT02 | 93 | Name | 0 | AN | 1/35 |
| | | | Free-form name | | | |
| Not Used | ACT03 | 66 | Identification Code Qualifier | X | ID | 1/2 |
| | | | Code designating the system/method of code structure u Identification Code (67) | sed f | or | |
| Not Used | ACT04 | 67 | Identification Code | X | AN | 2/20 |
| | | | Code identifying a party or other code | | | |
| Not Used | ACT05 | 569 | Account Number Qualifier | X | ID | 1/3 |
| | | | Code indicating the type of account | | | |
| Not Used | ACT06 | 508 | Account Number | X | AN | 1/35 |
| | | | Account number assigned | | | |
| Not Used | ACT07 | 352 | Description | 0 | AN | 1/80 |
| | | | A free-form description to clarify the related data eleme content | nts aı | nd thei | r |
| Not Used | ACT08 | 107 | Payment Method Code | 0 | ID | 1/1 |
| | | | Code identifying type of payment procedures | | | |
| Not Used | ACT09 | 1216 | Benefit Status Code | 0 | ID | 1/1 |
| | | | The type of coverage under which benefits are paid | | | |

Segment: TSU Transaction Summary

Position: 120
Loop: TSU
Level: Detail
Usage: Optional

Max Use: 1

Purpose: To provide specific transaction summary informationSyntax Notes: 1 If TSU08 is present, then TSU07 is required.

Semantic Notes:

- 1 TSU03 is a monetary amount which summarizes a group of detailed transactions.
- 2 TSU04 is the summary number of financial transactions identified in TSU02.
- 3 TSU05 allows for detailed identification of the number of transactions identified in TSU04. As an example, when summarizing a check list which contains several batches of checks, TSU04 would contain the summary number of batches, and TSU05 would contain the detailed number of checks.
- 4 TSU06 is the date on which the group of detailed transactions was processed by the financial institution.

Comments:

Notes:

This segment will be used 3 - 6 times per DDA and at least once for each Total Credit, Total Debit, and Net Transfer. If the bank is a deferred reporter, then they also need to use each of the following codes once: Previously Withheld, 1 Day Deferred, and 2 Day Deferred.

| | Ref. | Data | | | | |
|-----------|-------|----------------|--|--------------|--------|-----------|
| | Des. | Element | <u>Name</u> | Att | ribute | <u>es</u> |
| Must Use | TSU01 | 1270 | Code List Qualifier Code | \mathbf{M} | ID | 1/3 |
| | | | Code identifying a specific industry code list | | | |
| | | | CM Financial Management Service Cash | -Lin | k Code | e |
| Must Use | TSU02 | 1271 | Industry Code | M | AN | 1/30 |
| | | | Code indicating a code from a specific industry code list | | | |
| | | | Use codes as appropriate, following are recommended. 1 Total Credits 2 Total Debits 3 Deferred 1 Day 4 Deferred 2 Days 5 Previously Withheld 6 Net Transfer | | | |
| Must Use | TSU03 | 782 | Monetary Amount Monetary amount | M | R | 1/15 |
| Not Used | TSU04 | 380 | Quantity | o | R | 1/15 |
| 110t Oscu | 15004 | 500 | - | 3 | 11 | 1/15 |
| | | | Numeric value of quantity | | | |
| Not Used | TSU05 | 380 | Quantity | O | R | 1/15 |
| | | | Numeric value of quantity | | | |

O DT 6/6 Must Use TSU06 373 **Date**

Date (YYMMDD)

Date of Deposit.

Not Used TSU07 337 Time \mathbf{X} TM 4/8

> Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths

(00-99)

Not Used TSU08 623 **Time Code** $\mathbf{0}$ ID 2/2

> Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow

Segment: FIR Financial Information

Position: 140
Loop: FIR
Level: Detail
Usage: Optional

3

Max Use: 1

Purpose: To specify the details of financial information transactions

Syntax Notes: 1 If FIR06 is present, then FIR05 is required.

2 If either FIR11 or FIR12 is present, then the other is required.

Semantic Notes: 1 FIR03 is the amount of the transaction.

2 FIR04 is the posted date. (Posted is a financial term that describes when the funds are booked.)

FIR07 is the summary number of financial transactions identified in FIR02. FIR08 is the total count of detail items (e.g., number of checks) for the

financial transactions summarized in FIR07.

Comments: 1 FIR11 and FIR12 are used when the entry upon which the transaction is based

is of a different currency than that of the account (e.g., if a \$100 U.S. check was drawn on a Canadian dollar account, FIR03 would contain the amount of the Canadian dollar debit to the account, FIR11 would be USD, and FIR12

would be the original transaction amount (\$100)).

Data Element Summary

| | Ref. | Data | | | | |
|----------|-------------|----------------|---|--------------|------------------------|----------|
| | <u>Des.</u> | Element | <u>Name</u> | Att | <u>ribute</u> | <u>s</u> |
| Must Use | FIR01 | 1270 | Code List Qualifier Code | \mathbf{M} | ID | 1/3 |
| | | | Code identifying a specific industry code list | | | |
| | | | CM Financial Management Service Cash | -Linl | c Code | • |
| Must Use | FIR02 | 1271 | Industry Code | M | $\mathbf{A}\mathbf{N}$ | 1/30 |
| | | | Code indicating a code from a specific industry code list | | | |
| | | | Use codes as appropriate; the following codes are recon | mme | nded: | |
| | | | A SF 215 Deposit Ticket B SF 215A IRS Deposit Ticket C SF 215B Customs Deposit Ticket D SF 5515 Debit Voucher | | | |
| Must Use | FIR03 | 782 | Monetary Amount | M | R | 1/15 |
| | | | Monetary amount | | | |
| | | | Voucher amount. | | | |
| Must Use | FIR04 | 373 | Date | 0 | DT | 6/6 |
| | | | Date (YYMMDD) | | | |
| | | | Voucher date. | | | |
| Not Used | FIR05 | R05 337 | Time | X | TM | 4/8 |
| | | | Time expressed in 24-hour clock time as follows: HHMM | Л, or | ННМ | MSS, |

or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes

| | | | | seconds (00-59) and $DD = decimal$ and as follows: $D = tenths$ (0-9) and $D = tenths$ | | | |
|----------|-------|------|---|---|--------|---------|------------|
| Not Used | FIR06 | 623 | Time Code | | O | ID | 2/2 |
| | | | Organization standar indication in hours in | time. In accordance with Internation of 8601, time can be specified by a relation to Universal Time Coordinal character, + and - are substituted by | + or - | and a | n time; |
| Not Used | FIR07 | 380 | Quantity | | O | R | 1/15 |
| | | | Numeric value of qua | antity | | | |
| Not Used | FIR08 | 380 | Quantity | | 0 | R | 1/15 |
| | | | Numeric value of qua | antity | | | |
| | FIR09 | 478 | Credit/Debit Flag C | Code | 0 | ID | 1/1 |
| | | | Code indicating whe | ther amount is a credit or debit | | | |
| | | | C | Credit | | | |
| | | | D I | Debit | | | |
| Not Used | FIR10 | 1197 | Financial Transacti | on Status Code | O | ID | 1/2 |
| | | | Code indicating the s | status of the transaction | | | |
| Not Used | FIR11 | 100 | Currency Code | | X | ID | 3/3 |
| | | | Code (Standard ISO) specified |) for country in whose currency the | char | ges are | е |
| Not Used | FIR12 | 782 | Monetary Amount | | X | R | 1/15 |
| | | | Monetary amount | | | | |

Segment: REF Reference Identification

Position: 160
Loop: FIR
Level: Detail
Usage: Optional
Max Use: >1

Purpose: To specify identifying information

Syntax Notes: 1 At least one of REF02 or REF03 is required.

2 If either C04003 or C04004 is present, then the other is required.

3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes: 1 REF04 contains data relating to the value cited in REF02.

Comments:

| | | | Data Elem | ent Summary | | | |
|----------|-------|----------------|--|--|--------------|---------------|-----------|
| | Ref. | Data | | | | | |
| | Des. | Element | <u>Name</u> | | | <u>ribute</u> | <u>:s</u> |
| Must Use | REF01 | 128 | Reference Identifi | ication Qualifier | M | ID | 2/3 |
| | | | Code Qualifying the | ne Reference Identification | | | |
| | | | ALC | Agency Location Code | | | |
| | | | DNR | Deposit Number | | | |
| | | | | Use for 215B only. | | | |
| | | | EH | Financial Classification Code | | | |
| | | | | Expense Code | | | |
| | | | EY | Receiver Sub-identification Number | | | |
| | | | | A unique code identifying the receive department or office location for intelectronic claims | | - | |
| | | | | Port Code - Use for 215B only. | | | |
| | | | PID | Program Identification Number | | | |
| | | | VV | Voucher | | | |
| | | | | Use VV for Voucher Number. | | | |
| | | | ZX | County Code | | | |
| | | | | Use for Commodity Credit Corpora | tion. | | |
| | REF02 | 127 | Reference Identif | ication | X | AN | 1/30 |
| | | | | tion as defined for a particular Transa eference Identification Qualifier | ction | Set o | r as |
| Not Used | REF03 | 352 | Description | | \mathbf{X} | AN | 1/80 |
| | | | A free-form descri | ption to clarify the related data eleme | nts ar | nd thei | ır |
| Not Used | REF04 | C040 | Reference Identif | ier | 0 | | |
| | | | To identify one or specified by the Re | more reference numbers or identificate eference Qualifier | ion n | umbe | rs as |

| Not Used | C04001 | 128 | Reference Identification Qualifier | M | ID | 2/3 |
|----------|--------|-----|---|--------------|------------------------|------|
| | | | Code Qualifying the Reference Identification | | | |
| Not Used | C04002 | 127 | Reference Identification | \mathbf{M} | $\mathbf{A}\mathbf{N}$ | 1/30 |
| | | | Reference information as defined for a particular Transa specified by the Reference Identification Qualifier | action | Set o | r as |
| Not Used | C04003 | 128 | Reference Identification Qualifier | X | ID | 2/3 |
| | | | Code Qualifying the Reference Identification | | | |
| Not Used | C04004 | 127 | Reference Identification | \mathbf{X} | AN | 1/30 |
| | | | Reference information as defined for a particular Transa specified by the Reference Identification Qualifier | action | Set o | r as |
| Not Used | C04005 | 128 | Reference Identification Qualifier | \mathbf{X} | ID | 2/3 |
| | | | Code Qualifying the Reference Identification | | | |
| Not Used | C04006 | 127 | Reference Identification | \mathbf{X} | $\mathbf{A}\mathbf{N}$ | 1/30 |
| | | | Reference information as defined for a particular Transa specified by the Reference Identification Qualifier | action | Set o | r as |

Segment: MSG Message Text

Position: 170
Loop: FIR
Level: Detail
Usage: Optional
Max Use: >1

Purpose: To provide a free-form format that allows the transmission of text information

Syntax Notes: Semantic Notes:

Comments: 1 MSG02 is not related to the specific characteristics of a printer, but identifies

top of page, advance a line, etc.

| | Ref. | Data | | | | |
|----------|-------|----------------|--|--------------|---------------|----------|
| | Des. | Element | <u>Name</u> | Att | <u>ribute</u> | <u>s</u> |
| Must Use | MSG01 | 933 | Free-Form Message Text | \mathbf{M} | AN | 1/264 |
| | | | Free-form message text | | | |
| | MSG02 | 934 | Printer Carriage Control Code | 0 | ID | 2/2 |
| | | | A field to be used for the control of the line feed of the r | eceiv | ing pr | inter |
| | | | Refer to 003060 Data Element Dictionary for acceptable | cod | e value | es. |

Segment: AMT Monetary Amount

Position: 210
Loop: FIR
Level: Detail
Usage: Optional
Max Use: >1

Purpose: To indicate the total monetary amount

Syntax Notes: Semantic Notes: Comments:

Notes: 1. The following qualifier codes will be used with 215A only: N2, N3, N4, N5,

N6, N7, N8, and N9.

2. The following qualifier codes will be used with 215B only: HA, HB, HC, HD, HE, and HF.

3. The total dollar amount of either HA through HF or N2 through N9 must

equal FIR03.

| | | | Data Eleme | ent Summary | | | |
|----------|-------|----------------|-------------------------|------------------------------------|--------------|---------------|-----------|
| | Ref. | Data | | | | | |
| | Des. | Element | | | | <u>ribute</u> | <u>es</u> |
| Must Use | AMT01 | 522 | Amount Qualifier | Code | \mathbf{M} | ID | 1/2 |
| | | | Code to qualify am | ount | | | |
| | | | HA | Coin | | | |
| | | | | Use with 215B only. | | | |
| | | | НВ | Currency | | | |
| | | | | Use with 215B only. | | | |
| | | | HC | U.S. Treasury Checks | | | |
| | | | | Use with 215B only. | | | |
| | | | HD | Postal Money Orders | | | |
| | | | | Use with 215B only. | | | |
| | | | HE | City Checks | | | |
| | | | | Use with 215B only. | | | |
| | | | HF | Other Checks | | | |
| | | | | Use with 215B only. | | | |
| | | | N2 | Individual Income Taxes and Other | | | |
| | | | | Use with 215A only. | | | |
| | | | N3 | Corporate Income and Excess Profit | s Tax | | |
| | | | | Use with 215A only. | | | |
| | | | N4 | Excise Taxes | | | |
| | | | | Use with 215A only. | | | |
| | | | N5 | Estate and Gift Taxes | | | |
| | | | | Use with 215A only. | | | |

| | | | N6 | | | | |
|----------|---|-----|--|------------------------------------|-------|--------|------|
| | | | | Use with 215A only. | | | |
| | | | N7 | Federal Unemployment Tax Act Tax | es | | |
| | | | | Use with 215A only. | | | |
| | | | N8 | Miscellaneous Taxes | | | |
| | | | Use with 215A only. | | | | |
| | | | N9 Withheld and Federal Insurance C (FICA) Taxes | | tribu | tion A | ct |
| | | | | Use with 215A only. | | | |
| Must Use | AMT02 | 782 | Monetary Amoun | t | M | R | 1/15 |
| | | | Monetary amount | | | | |
| Not Used | Not Used AMT03 478 Credit/Debit Flag Code | | Code | 0 | ID | 1/1 | |
| | | | Code indicating w | nether amount is a credit or debit | | | |

Segment: **SE** Transaction Set Trailer

Position: 010

Loop:

Level: Summary Usage: Mandatory

Max Use: 1

Purpose: To indicate the end of the transaction set and provide the count of the transmitted

segments (including the beginning (ST) and ending (SE) segments)

Syntax Notes:

Semantic Notes:

Comments: 1 SE is the last segment of each transaction set.

| | Ref. | Data Floment | Nama | A +1 | nihut. | ng. |
|-----------|------|-----------------|--|--------------|---------------------|-------------------|
| Must Use | Des. | Element 96 | Number of Included Segments | Att M | <u>ribute</u> N0 | <u>28</u> 1/10 |
| Winst Osc | SEUI | 70 | ŭ | | | |
| | | | Total number of segments included in a transaction set i | nclud | ling S' | I' and |
| | | | SE segments | | | |
| Must Use | SE02 | 329 | Transaction Set Control Number | \mathbf{M} | AN | 4/9 |
| | | | Identifying control number that must be unique within the functional group assigned by the originator for a transaction. | | | on set |